


All products made-to-order

Product Finish Durability

New Dimensions Foundations (Unpainted) Conwed Baffles bring the performance you expect from a world-class acoustic solution to the growing trend of baffles. Combined with the Conwed Express Hanging System, any space can be perfectly fitted with highly customizable baffles.

Items to specify





Mounting type

Preinstalled connection points ready for suspension hardware

Conwed Express Hanging System is an optional add-on

Paint



Foundations

Foundations | Painted products can be left unpainted, to be finished in the field.

Corners



Square

Edge profile



Square

Fire rating

Conwed products meet or exceed ASTM E84 standards for smoke development and flame spread on a component level.



Shapes



Washable

Refer to the Maintenance & Cleaning Guide for more details.

conwed.com/cexpmaintenanceandcleaning



Sustainability

For your LEED projects, our products can help you qualify for different points depending on the product you choose. Contact us to learn more detailed information.

To view our certificate visit conwed.com/cexp-LEED.



Warranty

3 years. Refer to Warranty for more details.

conwed.com/cexpwarranty

Max size availabilities

- Standard core max size
- NAF (No-Added-Formaldehyde core) max size

| Thickness | 4'×10' | 5'×10' | | |
|-----------|--------|--------|--|--|
|]" | 0 | | | |
| 1 1/2" | • | | | |
| 2" | 0 | • | | |

Minimum height of 6"

Acoustic performance

The NRC of the products are determined from an average of sound absorption coefficients, obtained from tests conducted according to ASTM C423 procedures in an NVLAP accredited laboratory.

| | HZ→ | 125 | 250 | 500 | 1000 | 2000 | 4000 | Acoustic Performance ↓ |
|---|------|------|------|-------|-------|-------|-------|---------------------------|
| | ן" | _ | _ | _ | _ | _ | _ | _ |
| | 1 ½" | _ | _ | _ | _ | _ | _ | _ |
| _ | 2" | 1.62 | 5.14 | 11.13 | 16.71 | 16.43 | 15.46 | 1.54/sqft |